



TC

Tスロットカッター

T-Slot Cutter



SKH51

外径許容差(φD) +0.10
+0.03 刃幅許容差(Lc) +0.10
+0.03

外径 φD	刃幅 Lc	柄径 φd	柄長 L1	首径 φd1	首長(フラット) (L2)	全長 L	サイド刃の長さ		刃数
							W1	W2	
8	2	10	35	3.5	13.3	56	2	1	6
8	2.5	10	35	3.5	12.8	56	2	1	6
8	3	10	35	3.5	12.3	56	2	1	6
8	3.5	10	35	3.5	11.8	56	2	1	6
8	4	10	35	3.5	11.3	56	2	1	6
8	5	10	35	3.5	10.3	56	2	1	6
8	6	10	35	3.5	9.3	56	2	1	6
8	7	10	35	3.5	8.3	56	2	1	6
8	8	10	35	3.5	12.3	61	2	1	6
9	2	10	35	3.5	13.3	56	2.5	1.5	6
9	2.5	10	35	3.5	12.8	56	2.5	1.5	6
9	3	10	35	3.5	12.3	56	2.5	1.5	6
9	3.5	10	35	3.5	11.8	56	2.5	1.5	6
9	4	10	35	3.5	11.3	56	2.5	1.5	6
9	4.5	10	35	3.5	10.8	56	2.5	1.5	6
9	5	10	35	3.5	10.3	56	2.5	1.5	6
9	5.5	10	35	3.5	9.8	56	2.5	1.5	6
9	6	10	35	3.5	9.3	56	2.5	1.5	6
9	7	10	35	3.5	8.3	56	2.5	1.5	6
9	8	10	35	3.5	12.3	61	2.5	1.5	6
10	2	12	35	4	13	56	2.5	1.5	6
10	2.5	12	35	4	12.5	56	2.5	1.5	6
10	3	12	35	4	12	56	2.5	1.5	6
10	3.5	12	35	4	11.5	56	2.5	1.5	6
10	4	12	35	4	11	56	2.5	1.5	6
10	4.5	12	35	4	10.5	56	2.5	1.5	6
10	5	12	35	4	10	56	2.5	1.5	6
10	5.5	12	35	4	9.5	56	2.5	1.5	6
10	6	12	35	4	9	56	2.5	1.5	6
10	7	12	35	4	8	56	2.5	1.5	6
10	8	12	35	4	12	61	2.5	1.5	6
10	9	12	35	4	11	61	2.5	1.5	6
10	10	12	35	4	10	61	2.5	1.5	6
11	2	12	35	4.5	13.4	56	2.75	1.75	6
11	2.5	12	35	4.5	12.9	56	2.75	1.75	6
11	3	12	35	4.5	12.4	56	2.75	1.75	6
11	3.5	12	35	4.5	11.9	56	2.75	1.75	6

被削材種 型番	硬度	鋳物	炭素鋼	合金鋼	工具鋼	調質鋼	ステンレス鋼	アルミ合金	銅合金	チタン合金	耐熱合金
		FC、FCD	S45C	SCM	SKD	NAK、HPM	SUS	Al	Cu	Ti6Al4V	インコネル
TC	~200HB	○	○	○			△	○	○		

首長(L2)寸法は、首径(φd1)と柄径(φd)のつながりがRのため参考値です。

切削条件 P.285

両側面のヌスミ(ニゲ)の深さ P.304

TC

Tスロットカッター

T-Slot Cutter

外径 φD	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
11	4	12	35	4.5	11.4	56	2.75	1.75	6
11	4.5	12	35	4.5	10.9	56	2.75	1.75	6
11	5	12	35	4.5	10.4	56	2.75	1.75	6
11	5.5	12	35	4.5	9.9	56	2.75	1.75	6
11	6	12	35	4.5	9.4	56	2.75	1.75	6
11	7	12	35	4.5	8.4	56	2.75	1.75	6
11	8	12	35	4.5	12.4	61	2.75	1.75	6
11	9	12	35	4.5	11.4	61	2.75	1.75	6
11	10	12	35	4.5	10.4	61	2.75	1.75	6
12	2	12	35	4.5	13.4	56	3	1.75	6
12	2.5	12	35	4.5	12.9	56	3	1.75	6
12	3	12	35	4.5	12.4	56	3	1.75	6
12	3.5	12	35	4.5	11.9	56	3	1.75	6
12	4	12	35	4.5	11.4	56	3	1.75	6
12	4.5	12	35	4.5	10.9	56	3	1.75	6
12	5	12	35	4.5	10.4	56	3	1.75	6
12	5.5	12	35	4.5	9.9	56	3	1.75	6
12	6	12	35	4.5	9.4	56	3	1.75	6
12	7	12	35	4.5	8.4	56	3	1.75	6
12	8	12	35	4.5	12.4	61	3	1.75	6
12	9	12	35	4.5	11.4	61	3	1.75	6
12	10	12	35	4.5	10.4	61	3	1.75	6
13	2	12	35	5	13.5	56	2.5	1.75	8
13	2.5	12	35	5	13	56	2.5	1.75	8
13	3	12	35	5	12.5	56	2.5	1.75	8
13	3.5	12	35	5	12	56	2.5	1.75	8
13	4	12	35	5	11.5	56	2.5	1.75	8
13	4.5	12	35	5	11	56	2.5	1.75	8
13	5	12	35	5	10.5	56	2.5	1.75	8
13	5.5	12	35	5	10	56	2.5	1.75	8
13	6	12	35	5	9.5	56	2.5	1.75	8
13	7	12	35	5	8.5	56	2.5	1.75	8
13	8	12	35	5	12.5	61	2.5	1.75	8
13	9	12	35	5	11.5	61	2.5	1.75	8
13	10	12	35	5	10.5	61	2.5	1.75	8
14	2	12	35	5.5	13.6	56	2.5	1.75	8
14	2.5	12	35	5.5	13.1	56	2.5	1.75	8
14	3	12	35	5.5	12.6	56	2.5	1.75	8
14	3.5	12	35	5.5	12.1	56	2.5	1.75	8
14	4	12	35	5.5	11.6	56	2.5	1.75	8
14	4.5	12	35	5.5	11.1	56	2.5	1.75	8
14	5	12	35	5.5	10.6	56	2.5	1.75	8
14	5.5	12	35	5.5	10.1	56	2.5	1.75	8
14	6	12	35	5.5	9.6	56	2.5	1.75	8
14	7	12	35	5.5	8.6	56	2.5	1.75	8
14	8	12	35	5.5	12.6	61	2.5	1.75	8
14	9	12	35	5.5	11.6	61	2.5	1.75	8
14	10	12	35	5.5	10.6	61	2.5	1.75	8
14	11	12	35	5.5	9.6	61	2.5	1.75	8
14	12	12	35	5.5	8.6	61	2.5	1.75	8
15	2	12	40	6	14.8	62	3	2.25	8
15	2.5	12	40	6	14.3	62	3	2.25	8
15	3	12	40	6	13.8	62	3	2.25	8
15	3.5	12	40	6	13.3	62	3	2.25	8
15	4	12	40	6	12.8	62	3	2.25	8

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
15	4.5	12	40	6	12.3	62	3	2.25	8
15	5	12	40	6	11.8	62	3	2.25	8
15	5.5	12	40	6	11.3	62	3	2.25	8
15	6	12	40	6	10.8	62	3	2.25	8
15	7	12	40	6	9.8	62	3	2.25	8
15	8	12	40	6	13.8	67	3	2.25	8
15	9	12	40	6	12.8	67	3	2.25	8
15	10	12	40	6	11.8	67	3	2.25	8
15	11	12	40	6	10.8	67	3	2.25	8
15	12	12	40	6	9.8	67	3	2.25	8
16	2	12	40	6.5	15.5	62	3	2.25	8
16	2.5	12	40	6.5	15	62	3	2.25	8
16	3	12	40	6.5	14.5	62	3	2.25	8
16	3.5	12	40	6.5	14	62	3	2.25	8
16	4	12	40	6.5	13.5	62	3	2.25	8
16	4.5	12	40	6.5	13	62	3	2.25	8
16	5	12	40	6.5	12.5	62	3	2.25	8
16	5.5	12	40	6.5	12	62	3	2.25	8
16	6	12	40	6.5	11.5	62	3	2.25	8
16	7	12	40	6.5	10.5	62	3	2.25	8
16	8	12	40	6.5	14.5	67	3	2.25	8
16	9	12	40	6.5	13.5	67	3	2.25	8
16	10	12	40	6.5	12.5	67	3	2.25	8
16	11	12	40	6.5	11.5	67	3	2.25	8
16	12	12	40	6.5	10.5	67	3	2.25	8
16	13	12	40	6.5	14.5	72	3	2.25	8
16	14	12	40	6.5	13.5	72	3	2.25	8
16	15	12	40	6.5	12.5	72	3	2.25	8
16	16	12	40	6.5	11.5	72	3	2.25	8
18	2	12	40	7.5	16.1	62	3.5	2.5	8
18	2.5	12	40	7.5	15.6	62	3.5	2.5	8
18	3	12	40	7.5	15.1	62	3.5	2.5	8
18	3.5	12	40	7.5	14.6	62	3.5	2.5	8
18	4	12	40	7.5	14.1	62	3.5	2.5	8
18	4.5	12	40	7.5	13.6	62	3.5	2.5	8
18	5	12	40	7.5	13.1	62	3.5	2.5	8
18	5.5	12	40	7.5	12.6	62	3.5	2.5	8
18	6	12	40	7.5	12.1	62	3.5	2.5	8
18	7	12	40	7.5	11.1	62	3.5	2.5	8
18	8	12	40	7.5	15.1	67	3.5	2.5	8
18	9	12	40	7.5	14.1	67	3.5	2.5	8
18	10	12	40	7.5	13.1	67	3.5	2.5	8
18	11	12	40	7.5	12.1	67	3.5	2.5	8
18	12	12	40	7.5	11.1	67	3.5	2.5	8
18	13	12	40	7.5	15.1	72	3.5	2.5	8
18	14	12	40	7.5	14.1	72	3.5	2.5	8
18	15	12	40	7.5	13.1	72	3.5	2.5	8
18	16	12	40	7.5	12.1	72	3.5	2.5	8
19	2	12	40	8	16.2	62	3.5	2.75	8
19	2.5	12	40	8	15.7	62	3.5	2.75	8
19	3	12	40	8	15.2	62	3.5	2.75	8
19	3.5	12	40	8	14.7	62	3.5	2.75	8
19	4	12	40	8	14.2	62	3.5	2.75	8
19	4.5	12	40	8	13.7	62	3.5	2.75	8
19	5	12	40	8	13.2	62	3.5	2.75	8
19	5.5	12	40	8	12.7	62	3.5	2.75	8

TC

Tスロットカッター

T-Slot Cutter

外径 φD	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
19	6	12	40	8	12.2	62	3.5	2.75	8
19	7	12	40	8	11.2	62	3.5	2.75	8
19	8	12	40	8	15.2	67	3.5	2.75	8
19	9	12	40	8	14.2	67	3.5	2.75	8
19	10	12	40	8	13.2	67	3.5	2.75	8
19	11	12	40	8	12.2	67	3.5	2.75	8
19	12	12	40	8	11.2	67	3.5	2.75	8
19	13	12	40	8	15.2	72	3.5	2.75	8
19	14	12	40	8	14.2	72	3.5	2.75	8
19	15	12	40	8	13.2	72	3.5	2.75	8
19	16	12	40	8	12.2	72	3.5	2.75	8
20	2	12	40	8	16.2	62	4	3	8
20	2.5	12	40	8	15.7	62	4	3	8
20	3	12	40	8	15.2	62	4	3	8
20	3.5	12	40	8	14.7	62	4	3	8
20	4	12	40	8	14.2	62	4	3	8
20	4.5	12	40	8	13.7	62	4	3	8
20	5	12	40	8	13.2	62	4	3	8
20	5.5	12	40	8	12.7	62	4	3	8
20	6	12	40	8	12.2	62	4	3	8
20	7	12	40	8	11.2	62	4	3	8
20	8	12	40	8	15.2	67	4	3	8
20	9	12	40	8	14.2	67	4	3	8
20	10	12	40	8	13.2	67	4	3	8
20	11	12	40	8	12.2	67	4	3	8
20	12	12	40	8	11.2	67	4	3	8
20	13	12	40	8	15.2	72	4	3	8
20	14	12	40	8	14.2	72	4	3	8
20	15	12	40	8	13.2	72	4	3	8
20	16	12	40	8	12.2	72	4	3	8
22	2	12	40	9	16.8	62	4.5	3	10
22	2.5	12	40	9	16.3	62	4.5	3	10
22	3	12	40	9	15.8	62	4.5	3	10
22	3.5	12	40	9	15.3	62	4.5	3	10
22	4	12	40	9	14.8	62	4.5	3	10
22	4.5	12	40	9	14.3	62	4.5	3	10
22	5	12	40	9	13.8	62	4.5	3	10
22	5.5	12	40	9	13.3	62	4.5	3	10
22	6	12	40	9	12.8	62	4.5	3	10
22	7	12	40	9	11.8	62	4.5	3	10
22	8	12	40	9	15.8	67	4.5	3	10
22	9	12	40	9	14.8	67	4.5	3	10
22	10	12	40	9	13.8	67	4.5	3	10
22	11	12	40	9	12.8	67	4.5	3	10
22	12	12	40	9	11.8	67	4.5	3	10
22	13	12	40	9	15.8	72	4.5	3	10
22	14	12	40	9	14.8	72	4.5	3	10
22	15	12	40	9	13.8	72	4.5	3	10
22	16	12	70	9	12.8	72	4.5	3	10
24	2	12	40	9	16.8	62	4.5	3	10
24	2.5	12	40	9	16.3	62	4.5	3	10
24	3	12	40	9	15.8	62	4.5	3	10
24	3.5	12	40	9	15.3	62	4.5	3	10
24	4	12	40	9	14.8	62	4.5	3	10
24	4.5	12	40	9	14.3	62	4.5	3	10
24	5	12	40	9	13.8	62	4.5	3	10

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
24	5.5	12	40	9	13.3	62	4.5	3	10
24	6	12	40	9	12.8	62	4.5	3	10
24	7	12	40	9	11.8	62	4.5	3	10
24	8	12	40	9	15.8	67	4.5	3	10
24	9	12	40	9	14.8	67	4.5	3	10
24	10	12	40	9	13.8	67	4.5	3	10
24	11	12	40	9	12.8	67	4.5	3	10
24	12	12	40	9	11.8	67	4.5	3	10
24	13	12	40	9	15.8	72	4.5	3	10
24	14	12	40	9	14.8	72	4.5	3	10
24	15	12	40	9	13.8	72	4.5	3	10
24	16	12	40	9	12.8	72	4.5	3	10
25	2	12	42	10	18.7	65	4.5	3	10
25	2.5	12	42	10	18.2	65	4.5	3	10
25	3	12	42	10	17.7	65	4.5	3	10
25	3.5	12	42	10	17.2	65	4.5	3	10
25	4	12	42	10	16.7	65	4.5	3	10
25	4.5	12	42	10	16.2	65	4.5	3	10
25	5	12	42	10	15.7	65	4.5	3	10
25	5.5	12	42	10	15.2	65	4.5	3	10
25	6	12	42	10	14.7	65	4.5	3	10
25	7	12	42	10	13.7	65	4.5	3	10
25	8	12	42	10	17.7	70	4.5	3	10
25	9	12	42	10	16.7	70	4.5	3	10
25	10	12	42	10	15.7	70	4.5	3	10
25	11	12	42	10	14.7	70	4.5	3	10
25	12	12	42	10	13.7	70	4.5	3	10
25	13	12	42	10	17.7	75	4.5	3	10
25	14	12	42	10	16.7	75	4.5	3	10
25	15	12	42	10	15.7	75	4.5	3	10
25	16	12	42	10	14.7	75	4.5	3	10
25	18	12	42	10	17.7	80	4.5	3	10
25	20	12	42	10	15.7	80	4.5	3	10
26	2	12	42	10	18.7	65	4.5	3	10
26	2.5	12	42	10	18.2	65	4.5	3	10
26	3	12	42	10	17.7	65	4.5	3	10
26	3.5	12	42	10	17.2	65	4.5	3	10
26	4	12	42	10	16.7	65	4.5	3	10
26	4.5	12	42	10	16.2	65	4.5	3	10
26	5	12	42	10	15.7	65	4.5	3	10
26	5.5	12	42	10	15.2	65	4.5	3	10
26	6	12	42	10	14.7	65	4.5	3	10
26	7	12	42	10	13.7	65	4.5	3	10
26	8	12	42	10	17.7	70	4.5	3	10
26	9	12	42	10	16.7	70	4.5	3	10
26	10	12	42	10	15.7	70	4.5	3	10
26	11	12	42	10	14.7	70	4.5	3	10
26	12	12	42	10	13.7	70	4.5	3	10
26	13	12	42	10	17.7	75	4.5	3	10
26	14	12	42	10	16.7	75	4.5	3	10
26	15	12	42	10	15.7	75	4.5	3	10
26	16	12	42	10	14.7	75	4.5	3	10
26	18	12	42	10	17.7	80	4.5	3	10
26	20	12	42	10	15.7	80	4.5	3	10
28	2	12	42	11	19.3	65	5	3.5	10
28	2.5	12	42	11	18.8	65	5	3.5	10

TC

Tスロットカッター

T-Slot Cutter

外径 φD	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
28	3	12	42	11	18.3	65	5	3.5	10
28	3.5	12	42	11	17.8	65	5	3.5	10
28	4	12	42	11	17.3	65	5	3.5	10
28	4.5	12	42	11	16.8	65	5	3.5	10
28	5	12	42	11	16.3	65	5	3.5	10
28	5.5	12	42	11	15.8	65	5	3.5	10
28	6	12	42	11	15.3	65	5	3.5	10
28	7	12	42	11	14.3	65	5	3.5	10
28	8	12	42	11	18.3	70	5	3.5	10
28	9	12	42	11	17.3	70	5	3.5	10
28	10	12	42	11	16.3	70	5	3.5	10
28	11	12	42	11	15.3	70	5	3.5	10
28	12	12	42	11	14.3	70	5	3.5	10
28	13	12	42	11	18.3	75	5	3.5	10
28	14	12	42	11	17.3	75	5	3.5	10
28	15	12	42	11	16.3	75	5	3.5	10
28	16	12	42	11	15.3	75	5	3.5	10
28	18	12	42	11	18.3	80	5	3.5	10
28	20	12	42	11	16.3	80	5	3.5	10
30	2	12	42	11.5	20	65	5.5	4	10
30	2.5	12	42	11.5	19.5	65	5.5	4	10
30	3	12	42	11.5	19	65	5.5	4	10
30	3.5	12	42	11.5	18.5	65	5.5	4	10
30	4	12	42	11.5	18	65	5.5	4	10
30	4.5	12	42	11.5	17.5	65	5.5	4	10
30	5	12	42	11.5	17	65	5.5	4	10
30	5.5	12	42	11.5	16.5	65	5.5	4	10
30	6	12	42	11.5	16	65	5.5	4	10
30	7	12	42	11.5	15	65	5.5	4	10
30	8	12	42	11.5	19	70	5.5	4	10
30	9	12	42	11.5	18	70	5.5	4	10
30	10	12	42	11.5	17	70	5.5	4	10
30	11	12	42	11.5	16	70	5.5	4	10
30	12	12	42	11.5	15	70	5.5	4	10
30	13	12	42	11.5	19	75	5.5	4	10
30	14	12	42	11.5	18	75	5.5	4	10
30	15	12	42	11.5	17	75	5.5	4	10
30	16	12	42	11.5	16	75	5.5	4	10
30	17	12	42	11.5	15	75	5.5	4	10
30	18	12	42	11.5	19	80	5.5	4	10
30	19	12	42	11.5	18	80	5.5	4	10
30	20	12	42	11.5	17	80	5.5	4	10
32	2	16	60	14	22.7	87	6	4	10
32	2.5	16	60	14	22.2	87	6	4	10
32	3	16	60	14	21.7	87	6	4	10
32	3.5	16	60	14	21.2	87	6	4	10
32	4	16	60	14	20.7	87	6	4	10
32	4.5	16	60	14	20.2	87	6	4	10
32	5	16	60	14	19.7	87	6	4	10
32	5.5	16	60	14	19.2	87	6	4	10
32	6	16	60	14	18.7	87	6	4	10
32	7	16	60	14	17.7	87	6	4	10
32	8	16	60	14	21.7	92	6	4	10
32	9	16	60	14	20.7	92	6	4	10
32	10	16	60	14	19.7	92	6	4	10
32	11	16	60	14	18.7	92	6	4	10
32	12	16	60	14	17.7	92	6	4	10

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
32	13	16	60	14	21.7	97	6	4	10
32	14	16	60	14	20.7	97	6	4	10
32	15	16	60	14	19.7	97	6	4	10
32	16	16	60	14	18.7	97	6	4	10
32	17	16	60	14	17.7	97	6	4	10
32	18	16	60	14	21.7	102	6	4	10
32	19	16	60	14	20.7	102	6	4	10
32	20	16	60	14	19.7	102	6	4	10
35	2	16	60	14	22.7	87	6	4.5	12
35	2.5	16	60	14	22.2	87	6	4.5	12
35	3	16	60	14	21.7	87	6	4.5	12
35	3.5	16	60	14	21.2	87	6	4.5	12
35	4	16	60	14	20.7	87	6	4.5	12
35	4.5	16	60	14	20.2	87	6	4.5	12
35	5	16	60	14	19.7	87	6	4.5	12
35	5.5	16	60	14	19.2	87	6	4.5	12
35	6	16	60	14	18.7	87	6	4.5	12
35	7	16	60	14	17.7	87	6	4.5	12
35	8	16	60	14	21.7	92	6	4.5	12
35	9	16	60	14	20.7	92	6	4.5	12
35	10	16	60	14	19.7	92	6	4.5	12
35	11	16	60	14	18.7	92	6	4.5	12
35	12	16	60	14	17.7	92	6	4.5	12
35	13	16	60	14	21.7	97	6	4.5	12
35	14	16	60	14	20.7	97	6	4.5	12
35	15	16	60	14	19.7	97	6	4.5	12
35	16	16	60	14	18.7	97	6	4.5	12
35	17	16	60	14	17.7	97	6	4.5	12
35	18	16	60	14	21.7	102	6	4.5	12
35	19	16	60	14	20.7	102	6	4.5	12
35	20	16	60	14	19.7	102	6	4.5	12
36	2	16	60	14	22.7	87	6.5	5	12
36	2.5	16	60	14	22.2	87	6.5	5	12
36	3	16	60	14	21.7	87	6.5	5	12
36	3.5	16	60	14	21.2	87	6.5	5	12
36	4	16	60	14	20.7	87	6.5	5	12
36	4.5	16	60	14	20.2	87	6.5	5	12
36	5	16	60	14	19.7	87	6.5	5	12
36	5.5	16	60	14	19.2	87	6.5	5	12
36	6	16	60	14	18.7	87	6.5	5	12
36	7	16	60	14	17.7	87	6.5	5	12
36	8	16	60	14	21.7	92	6.5	5	12
36	9	16	60	14	20.7	92	6.5	5	12
36	10	16	60	14	19.7	92	6.5	5	12
36	11	16	60	14	18.7	92	6.5	5	12
36	12	16	60	14	17.7	92	6.5	5	12
36	13	16	60	14	21.7	97	6.5	5	12
36	14	16	60	14	20.7	97	6.5	5	12
36	15	16	60	14	19.7	97	6.5	5	12
36	16	16	60	14	18.7	97	6.5	5	12
36	17	16	60	14	17.7	97	6.5	5	12
36	18	16	60	14	21.7	102	6.5	5	12
36	19	16	60	14	20.7	102	6.5	5	12
36	20	16	60	14	19.7	102	6.5	5	12
38	2	16	60	14	22.7	87	7	5.5	12
38	2.5	16	60	14	22.2	87	7	5.5	12

TC

Tスロットカッター

T-Slot Cutter

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
38	3	16	60	14	21.7	87	7	5.5	12
38	3.5	16	60	14	21.2	87	7	5.5	12
38	4	16	60	14	20.7	87	7	5.5	12
38	4.5	16	60	14	20.2	87	7	5.5	12
38	5	16	60	14	19.7	87	7	5.5	12
38	5.5	16	60	14	19.2	87	7	5.5	12
38	6	16	60	14	18.7	87	7	5.5	12
38	7	16	60	14	17.7	87	7	5.5	12
38	8	16	60	14	21.7	92	7	5.5	12
38	9	16	60	14	20.7	92	7	5.5	12
38	10	16	60	14	19.7	92	7	5.5	12
38	11	16	60	14	18.7	92	7	5.5	12
38	12	16	60	14	17.7	92	7	5.5	12
38	13	16	60	14	21.7	97	7	5.5	12
38	14	16	60	14	20.7	97	7	5.5	12
38	15	16	60	14	19.7	97	7	5.5	12
38	16	16	60	14	18.7	97	7	5.5	12
38	17	16	60	14	17.7	97	7	5.5	12
38	18	16	60	14	21.7	102	7	5.5	12
38	19	16	60	14	20.7	102	7	5.5	12
38	20	16	60	14	19.7	102	7	5.5	12
40	2	16	60	15	26.6	90	7.5	6	12
40	2.5	16	60	15	26.1	90	7.5	6	12
40	3	16	60	15	25.6	90	7.5	6	12
40	3.5	16	60	15	25.1	90	7.5	6	12
40	4	16	60	15	24.6	90	7.5	6	12
40	4.5	16	60	15	24.1	90	7.5	6	12
40	5	16	60	15	23.6	90	7.5	6	12
40	5.5	16	60	15	23.1	90	7.5	6	12
40	6	16	60	15	22.6	90	7.5	6	12
40	7	16	60	15	21.6	90	7.5	6	12
40	8	16	60	15	25.6	95	7.5	6	12
40	9	16	60	15	24.6	95	7.5	6	12
40	10	16	60	15	23.6	95	7.5	6	12
40	11	16	60	15	22.6	95	7.5	6	12
40	12	16	60	15	21.6	95	7.5	6	12
40	13	16	60	15	25.6	100	7.5	6	12
40	14	16	60	15	24.6	100	7.5	6	12
40	15	16	60	15	23.6	100	7.5	6	12
40	16	16	60	15	22.6	100	7.5	6	12
40	17	16	60	15	21.6	100	7.5	6	12
40	18	16	60	15	25.6	105	7.5	6	12
40	19	16	60	15	24.6	105	7.5	6	12
40	20	16	60	15	23.6	105	7.5	6	12
40	22	16	60	15	21.6	105	7.5	6	12
40	24	16	60	15	24.6	110	7.5	6	12
40	25	16	60	15	23.6	110	7.5	6	12
40	26	16	60	15	22.6	110	7.5	6	12
40	28	16	60	15	25.6	115	7.5	6	12
40	30	16	60	15	23.6	115	7.5	6	12
42	2	16	60	15	26.6	90	8	6	12
42	2.5	16	60	15	26.1	90	8	6	12
42	3	16	60	15	25.6	90	8	6	12
42	3.5	16	60	15	25.1	90	8	6	12
42	4	16	60	15	24.6	90	8	6	12
42	4.5	16	60	15	24.1	90	8	6	12
42	5	16	60	15	23.6	90	8	6	12

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
42	5.5	16	60	15	23.1	90	8	6	12
42	6	16	60	15	22.6	90	8	6	12
42	7	16	60	15	21.6	90	8	6	12
42	8	16	60	15	25.6	95	8	6	12
42	9	16	60	15	24.6	95	8	6	12
42	10	16	60	15	23.6	95	8	6	12
42	11	16	60	15	22.6	95	8	6	12
42	12	16	60	15	21.6	95	8	6	12
42	13	16	60	15	25.6	100	8	6	12
42	14	16	60	15	24.6	100	8	6	12
42	15	16	60	15	23.6	100	8	6	12
42	16	16	60	15	22.6	100	8	6	12
42	17	16	60	15	21.6	100	8	6	12
42	18	16	60	15	25.6	105	8	6	12
42	19	16	60	15	24.6	105	8	6	12
42	20	16	60	15	23.6	105	8	6	12
42	22	16	60	15	21.6	105	8	6	12
42	24	16	60	15	24.6	110	8	6	12
42	25	16	60	15	23.6	110	8	6	12
42	26	16	60	15	22.6	110	8	6	12
42	28	16	60	15	25.6	115	8	6	12
42	30	16	60	15	23.6	115	8	6	12
45	2	16	60	15	26.6	90	9	7	12
45	2.5	16	60	15	26.1	90	9	7	12
45	3	16	60	15	25.6	90	9	7	12
45	3.5	16	60	15	25.1	90	9	7	12
45	4	16	60	15	24.6	90	9	7	12
45	4.5	16	60	15	24.1	90	9	7	12
45	5	16	60	15	23.6	90	9	7	12
45	5.5	16	60	15	23.1	90	9	7	12
45	6	16	60	15	22.6	90	9	7	12
45	7	16	60	15	21.6	90	9	7	12
45	8	16	60	15	25.6	95	9	7	12
45	9	16	60	15	24.6	95	9	7	12
45	10	16	60	15	23.6	95	9	7	12
45	11	16	60	15	22.6	95	9	7	12
45	12	16	60	15	21.6	95	9	7	12
45	13	16	60	15	25.6	100	9	7	12
45	14	16	60	15	24.6	100	9	7	12
45	15	16	60	15	23.6	100	9	7	12
45	16	16	60	15	22.6	100	9	7	12
45	17	16	60	15	21.6	100	9	7	12
45	18	16	60	15	25.6	105	9	7	12
45	19	16	60	15	24.6	105	9	7	12
45	20	16	60	15	23.6	105	9	7	12
45	22	16	60	15	21.6	105	9	7	12
45	24	16	60	15	24.6	110	9	7	12
45	25	16	60	15	23.6	110	9	7	12
45	26	16	60	15	22.6	110	9	7	12
45	28	16	60	15	25.6	115	9	7	12
45	30	16	60	15	23.6	115	9	7	12
48	2	16	60	15	26.6	90	9.5	7.5	12
48	2.5	16	60	15	26.1	90	9.5	7.5	12
48	3	16	60	15	25.6	90	9.5	7.5	12
48	3.5	16	60	15	25.1	90	9.5	7.5	12
48	4	16	60	15	24.6	90	9.5	7.5	12
48	4.5	16	60	15	24.1	90	9.5	7.5	12

TC

Tスロットカッター

T-Slot Cutter

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
48	5	16	60	15	23.6	90	9.5	7.5	12
48	5.5	16	60	15	23.1	90	9.5	7.5	12
48	6	16	60	15	22.6	90	9.5	7.5	12
48	7	16	60	15	21.6	90	9.5	7.5	12
48	8	16	60	15	25.6	95	9.5	7.5	12
48	9	16	60	15	24.6	95	9.5	7.5	12
48	10	16	60	15	23.6	95	9.5	7.5	12
48	11	16	60	15	22.6	95	9.5	7.5	12
48	12	16	60	15	21.6	95	9.5	7.5	12
48	13	16	60	15	25.6	100	9.5	7.5	12
48	14	16	60	15	24.6	100	9.5	7.5	12
48	15	16	60	15	23.6	100	9.5	7.5	12
48	16	16	60	15	22.6	100	9.5	7.5	12
48	17	16	60	15	21.6	100	9.5	7.5	12
48	18	16	60	15	25.6	105	9.5	7.5	12
48	19	16	60	15	24.6	105	9.5	7.5	12
48	20	16	60	15	23.6	105	9.5	7.5	12
48	22	16	60	15	21.6	105	9.5	7.5	12
48	24	16	60	15	24.6	110	9.5	7.5	12
48	25	16	60	15	23.6	110	9.5	7.5	12
48	26	16	60	15	22.6	110	9.5	7.5	12
48	28	16	60	15	25.6	115	9.5	7.5	12
48	30	16	60	15	23.6	115	9.5	7.5	12
50	2	20	70	18	28.7	103	10	7.5	14
50	2.5	20	70	18	28.2	103	10	7.5	14
50	3	20	70	18	27.7	103	10	7.5	14
50	3.5	20	70	18	27.2	103	10	7.5	14
50	4	20	70	18	26.7	103	10	7.5	14
50	4.5	20	70	18	26.2	103	10	7.5	14
50	5	20	70	18	25.7	103	10	7.5	14
50	5.5	20	70	18	25.2	103	10	7.5	14
50	6	20	70	18	24.7	103	10	7.5	14
50	7	20	70	18	23.7	103	10	7.5	14
50	8	20	70	18	27.7	108	10	7.5	14
50	9	20	70	18	26.7	108	10	7.5	14
50	10	20	70	18	25.7	108	10	7.5	14
50	11	20	70	18	24.7	108	10	7.5	14
50	12	20	70	18	23.7	108	10	7.5	14
50	13	20	70	18	27.7	113	10	7.5	14
50	14	20	70	18	26.7	113	10	7.5	14
50	15	20	70	18	25.7	113	10	7.5	14
50	16	20	70	18	24.7	113	10	7.5	14
50	17	20	70	18	23.7	113	10	7.5	14
50	18	20	70	18	27.7	118	10	7.5	14
50	19	20	70	18	26.7	118	10	7.5	14
50	20	20	70	18	25.7	118	10	7.5	14
50	22	20	70	18	23.7	118	10	7.5	14
50	24	20	70	18	26.7	123	10	7.5	14
50	25	20	70	18	25.7	123	10	7.5	14
50	26	20	70	18	24.7	123	10	7.5	14
50	28	20	70	18	27.7	128	10	7.5	14
50	30	20	70	18	25.7	128	10	7.5	14
55	2	20	70	19	29.6	103	11	8.5	14
55	2.5	20	70	19	29.1	103	11	8.5	14
55	3	20	70	19	28.6	103	11	8.5	14
55	3.5	20	70	19	28.1	103	11	8.5	14
55	4	20	70	19	27.6	103	11	8.5	14

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
55	4.5	20	70	19	27.1	103	11	8.5	14
55	5	20	70	19	26.6	103	11	8.5	14
55	5.5	20	70	19	26.1	103	11	8.5	14
55	6	20	70	19	25.6	103	11	8.5	14
55	7	20	70	19	24.6	103	11	8.5	14
55	8	20	70	19	28.6	108	11	8.5	14
55	9	20	70	19	27.6	108	11	8.5	14
55	10	20	70	19	26.6	108	11	8.5	14
55	11	20	70	19	25.6	108	11	8.5	14
55	12	20	70	19	24.6	108	11	8.5	14
55	13	20	70	19	28.6	113	11	8.5	14
55	14	20	70	19	27.6	113	11	8.5	14
55	15	20	70	19	26.6	113	11	8.5	14
55	16	20	70	19	25.6	113	11	8.5	14
55	17	20	70	19	24.6	113	11	8.5	14
55	18	20	70	19	28.6	118	11	8.5	14
55	19	20	70	19	27.6	118	11	8.5	14
55	20	20	70	19	26.6	118	11	8.5	14
55	22	20	70	19	24.6	118	11	8.5	14
55	24	20	70	19	27.6	123	11	8.5	14
55	25	20	70	19	26.6	123	11	8.5	14
55	26	20	70	19	25.6	123	11	8.5	14
55	28	20	70	19	28.6	128	11	8.5	14
55	30	20	70	19	26.6	128	11	8.5	14
60	2	20	70	19	31.6	105	12	8.5	14
60	2.5	20	70	19	31.1	105	12	8.5	14
60	3	20	70	19	30.6	105	12	8.5	14
60	3.5	20	70	19	30.1	105	12	8.5	14
60	4	20	70	19	29.6	105	12	8.5	14
60	4.5	20	70	19	29.1	105	12	8.5	14
60	5	20	70	19	28.6	105	12	8.5	14
60	5.5	20	70	19	28.1	105	12	8.5	14
60	6	20	70	19	27.6	105	12	8.5	14
60	7	20	70	19	26.6	105	12	8.5	14
60	8	20	70	19	30.6	110	12	8.5	14
60	9	20	70	19	29.6	110	12	8.5	14
60	10	20	70	19	28.6	110	12	8.5	14
60	11	20	70	19	27.6	110	12	8.5	14
60	12	20	70	19	26.6	110	12	8.5	14
60	13	20	70	19	30.6	115	12	8.5	14
60	14	20	70	19	29.6	115	12	8.5	14
60	15	20	70	19	28.6	115	12	8.5	14
60	16	20	70	19	27.6	115	12	8.5	14
60	17	20	70	19	26.6	115	12	8.5	14
60	18	20	70	19	30.6	120	12	8.5	14
60	19	20	70	19	29.6	120	12	8.5	14
60	20	20	70	19	28.6	120	12	8.5	14
60	22	20	70	19	26.6	120	12	8.5	14
60	24	20	70	19	29.6	125	12	8.5	14
60	25	20	70	19	28.6	125	12	8.5	14
60	26	20	70	19	27.6	125	12	8.5	14
60	28	20	70	19	30.6	130	12	8.5	14
60	30	20	70	19	28.6	130	12	8.5	14
65	3	25	80	24	30.6	115	13	10	16
65	3.5	25	80	24	30.1	115	13	10	16
65	4	25	80	24	29.6	115	13	10	16
65	4.5	25	80	24	29.1	115	13	10	16

TC

Tスロットカッター

T-Slot Cutter

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
65	5	25	80	24	28.6	115	13	10	16
65	5.5	25	80	24	28.1	115	13	10	16
65	6	25	80	24	27.6	115	13	10	16
65	7	25	80	24	26.6	115	13	10	16
65	8	25	80	24	30.6	120	13	10	16
65	9	25	80	24	29.6	120	13	10	16
65	10	25	80	24	28.6	120	13	10	16
65	11	25	80	24	27.6	120	13	10	16
65	12	25	80	24	26.6	120	13	10	16
65	13	25	80	24	30.6	125	13	10	16
65	14	25	80	24	29.6	125	13	10	16
65	15	25	80	24	28.6	125	13	10	16
65	16	25	80	24	27.6	125	13	10	16
65	17	25	80	24	26.6	125	13	10	16
65	18	25	80	24	30.6	130	13	10	16
65	19	25	80	24	29.6	130	13	10	16
65	20	25	80	24	28.6	130	13	10	16
65	22	25	80	24	26.6	130	13	10	16
65	24	25	80	24	29.6	135	13	10	16
65	25	25	80	24	28.6	135	13	10	16
65	26	25	80	24	27.6	135	13	10	16
65	28	25	80	24	30.6	140	13	10	16
65	30	25	80	24	28.6	140	13	10	16
70	3	25	80	24	35.6	120	14	11	16
70	3.5	25	80	24	35.1	120	14	11	16
70	4	25	80	24	34.6	120	14	11	16
70	4.5	25	80	24	34.1	120	14	11	16
70	5	25	80	24	33.6	120	14	11	16
70	5.5	25	80	24	33.1	120	14	11	16
70	6	25	80	24	32.6	120	14	11	16
70	7	25	80	24	31.6	120	14	11	16
70	8	25	80	24	35.6	125	14	11	16
70	9	25	80	24	34.6	125	14	11	16
70	10	25	80	24	33.6	125	14	11	16
70	11	25	80	24	32.6	125	14	11	16
70	12	25	80	24	31.6	125	14	11	16
70	13	25	80	24	35.6	130	14	11	16
70	14	25	80	24	34.6	130	14	11	16
70	15	25	80	24	33.6	130	14	11	16
70	16	25	80	24	32.6	130	14	11	16
70	17	25	80	24	31.6	130	14	11	16
70	18	25	80	24	35.6	135	14	11	16
70	19	25	80	24	34.6	135	14	11	16
70	20	25	80	24	33.6	135	14	11	16
70	22	25	80	24	31.6	135	14	11	16
70	24	25	80	24	34.6	140	14	11	16
70	25	25	80	24	33.6	140	14	11	16
70	26	25	80	24	32.6	140	14	11	16
70	28	25	80	24	35.6	145	14	11	16
70	30	25	80	24	33.6	145	14	11	16
75	3	25	80	24	35.6	120	15.5	12.5	16
75	3.5	25	80	24	35.1	120	15.5	12.5	16
75	4	25	80	24	34.6	120	15.5	12.5	16
75	4.5	25	80	24	34.1	120	15.5	12.5	16
75	5	25	80	24	33.6	120	15.5	12.5	16
75	5.5	25	80	24	33.1	120	15.5	12.5	16
75	6	25	80	24	32.6	120	15.5	12.5	16

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
75	7	25	80	24	31.6	120	15.5	12.5	16
75	8	25	80	24	35.6	125	15.5	12.5	16
75	9	25	80	24	34.6	125	15.5	12.5	16
75	10	25	80	24	33.6	125	15.5	12.5	16
75	11	25	80	24	32.6	125	15.5	12.5	16
75	12	25	80	24	31.6	125	15.5	12.5	16
75	13	25	80	24	35.6	130	15.5	12.5	16
75	14	25	80	24	34.6	130	15.5	12.5	16
75	15	25	80	24	33.6	130	15.5	12.5	16
75	16	25	80	24	32.6	130	15.5	12.5	16
75	17	25	80	24	31.6	130	15.5	12.5	16
75	18	25	80	24	35.6	135	15.5	12.5	16
75	19	25	80	24	34.6	135	15.5	12.5	16
75	20	25	80	24	33.6	135	15.5	12.5	16
75	22	25	80	24	31.6	135	15.5	12.5	16
75	24	25	80	24	34.6	140	15.5	12.5	16
75	25	25	80	24	33.6	140	15.5	12.5	16
75	26	25	80	24	32.6	140	15.5	12.5	16
75	28	25	80	24	35.6	145	15.5	12.5	16
75	30	25	80	24	33.6	145	15.5	12.5	16
80	3	32	100	28	43.2	150	16	13	18
80	4	32	100	28	42.2	150	16	13	18
80	5	32	100	28	41.2	150	16	13	18
80	6	32	100	28	40.2	150	16	13	18
80	7	32	100	28	39.2	150	16	13	18
80	8	32	100	28	38.2	150	16	13	18
80	9	32	100	28	37.2	150	16	13	18
80	10	32	100	28	36.2	150	16	13	18
80	11	32	100	28	35.2	150	16	13	18
80	12	32	100	28	34.2	150	16	13	18
80	13	32	100	28	38.2	155	16	13	18
80	14	32	100	28	37.2	155	16	13	18
80	15	32	100	28	36.2	155	16	13	18
80	16	32	100	28	35.2	155	16	13	18
80	17	32	100	28	34.2	155	16	13	18
80	18	32	100	28	38.2	160	16	13	18
80	19	32	100	28	37.2	160	16	13	18
80	20	32	100	28	36.2	160	16	13	18
80	22	32	100	28	34.2	160	16	13	18
80	24	32	100	28	37.2	165	16	13	18
80	25	32	100	28	36.2	165	16	13	18
80	26	32	100	28	35.2	165	16	13	18
80	28	32	100	28	38.2	170	16	13	18
80	30	32	100	28	36.2	170	16	13	18
90	3	32	100	30	49.7	155	18	15	20
90	4	32	100	30	48.7	155	18	15	20
90	5	32	100	30	47.7	155	18	15	20
90	6	32	100	30	46.7	155	18	15	20
90	7	32	100	30	45.7	155	18	15	20
90	8	32	100	30	44.7	155	18	15	20
90	9	32	100	30	43.7	155	18	15	20
90	10	32	100	30	42.7	155	18	15	20
90	11	32	100	30	41.7	155	18	15	20
90	12	32	100	30	40.7	155	18	15	20
90	13	32	100	30	44.7	160	18	15	20
90	14	32	100	30	43.7	160	18	15	20
90	15	32	100	30	42.7	160	18	15	20

TC

Tスロットカッター

T-Slot Cutter

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
90	16	32	100	30	41.7	160	18	15	20
90	17	32	100	30	40.7	160	18	15	20
90	18	32	100	30	44.7	165	18	15	20
90	19	32	100	30	43.7	165	18	15	20
90	20	32	100	30	42.7	165	18	15	20
90	22	32	100	30	40.7	165	18	15	20
90	24	32	100	30	43.7	170	18	15	20
90	25	32	100	30	42.7	170	18	15	20
90	26	32	100	30	41.7	170	18	15	20
90	28	32	100	30	44.7	175	18	15	20
90	30	32	100	30	42.7	175	18	15	20
100	3	32	100	31	55.6	160	20	16.5	22
100	4	32	100	31	54.6	160	20	16.5	22
100	5	32	100	31	53.6	160	20	16.5	22
100	6	32	100	31	52.6	160	20	16.5	22
100	7	32	100	31	51.6	160	20	16.5	22
100	8	32	100	31	50.6	160	20	16.5	22
100	9	32	100	31	49.6	160	20	16.5	22
100	10	32	100	31	48.6	160	20	16.5	22
100	11	32	100	31	47.6	160	20	16.5	22
100	12	32	100	31	46.6	160	20	16.5	22
100	13	32	100	31	50.6	165	20	16.5	22
100	14	32	100	31	49.6	165	20	16.5	22
100	15	32	100	31	48.6	165	20	16.5	22
100	16	32	100	31	47.6	165	20	16.5	22
100	17	32	100	31	46.6	165	20	16.5	22
100	18	32	100	31	50.6	170	20	16.5	22
100	19	32	100	31	49.6	170	20	16.5	22
100	20	32	100	31	48.6	170	20	16.5	22
100	22	32	100	31	46.6	170	20	16.5	22
100	24	32	100	31	49.6	175	20	16.5	22
100	25	32	100	31	48.6	175	20	16.5	22
100	26	32	100	31	47.6	175	20	16.5	22
100	28	32	100	31	50.6	180	20	16.5	22
100	30	32	100	31	48.6	180	20	16.5	22