


STC

千鳥刃Tスロットカッター

Staggered Tooth T-Slot Cutter



HSS-Co 交互ネジレ

外径許容差(φD) +0.10
+0.03 刃幅許容差(Lc) +0.10
+0.03

外径 φD	刃幅 Lc	柄径 φd	柄長 L1	首径 φd1	首長(フラット) (L2)	全長 L	サイド刃の長さ		刃数
							W1	W2	
10	2	12	35	4	13	56	2.5	1.5	6
10	2.5	12	35	4	12.5	56	2.5	1.5	6
10	3	12	35	4	12	56	2.5	1.5	6
10	3.5	12	35	4	11.5	56	2.5	1.5	6
10	4	12	35	4	11	56	2.5	1.5	6
10	4.5	12	35	4	10.5	56	2.5	1.5	6
10	5	12	35	4	10	56	2.5	1.5	6
10	5.5	12	35	4	9.5	56	2.5	1.5	6
10	6	12	35	4	9	56	2.5	1.5	6
10	7	12	35	4	8	56	2.5	1.5	6
10	8	12	35	4	12	61	2.5	1.5	6
10	9	12	35	4	11	61	2.5	1.5	6
10	10	12	35	4	10	61	2.5	1.5	6
11	3	12	35	4	12	56	2.75	1.75	6
11	4	12	35	4	11	56	2.75	1.75	6
11	5	12	35	4	10	56	2.75	1.75	6
11	6	12	35	4	9	56	2.75	1.75	6
11	7	12	35	4	8	56	2.75	1.75	6
11	8	12	35	4	12	61	2.75	1.75	6
11	9	12	35	4	11	61	2.75	1.75	6
11	10	12	35	4	10	61	2.75	1.75	6
12	2	12	35	4.5	13.4	56	3	1.75	6
12	2.5	12	35	4.5	12.9	56	3	1.75	6
12	3	12	35	4.5	12.4	56	3	1.75	6
12	3.5	12	35	4.5	11.9	56	3	1.75	6
12	4	12	35	4.5	11.4	56	3	1.75	6
12	4.5	12	35	4.5	10.9	56	3	1.75	6
12	5	12	35	4.5	10.4	56	3	1.75	6
12	5.5	12	35	4.5	9.9	56	3	1.75	6
12	6	12	35	4.5	9.4	56	3	1.75	6
12	7	12	35	4.5	8.4	56	3	1.75	6
12	8	12	35	4.5	12.4	61	3	1.75	6
12	9	12	35	4.5	11.4	61	3	1.75	6
12	10	12	35	4.5	10.4	61	3	1.75	6
13	2	12	35	5	13.5	56	2.5	1.75	6
13	2.5	12	35	5	13	56	2.5	1.75	6

被削材種 型番	硬度	鋳物	炭素鋼	合金鋼	工具鋼	調質鋼	ステンレス鋼	アルミ合金	銅合金	チタン合金	耐熱合金
		FC, FCD	S45C	SCM	SKD	NAK, HPM	SUS	Al	Cu	Ti6Al4V	インコネル
STC		○	○	○	△		○	○	○		

首長(L2)寸法は、首径(φd1)と柄径(φd)のつなぎがRのため参考値です。

交互刃のため、外周加工面に段差が出来ますので荒用としてご使用ください。

切削条件 P.294

両側面のヌスミ(ニゲ)の深さ P.314

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
13	3	12	35	5	12.5	56	2.5	1.75	6
13	3.5	12	35	5	12	56	2.5	1.75	6
13	4	12	35	5	11.5	56	2.5	1.75	6
13	4.5	12	35	5	11	56	2.5	1.75	6
13	5	12	35	5	10.5	56	2.5	1.75	6
13	5.5	12	35	5	10	56	2.5	1.75	6
13	6	12	35	5	9.5	56	2.5	1.75	6
13	7	12	35	5	8.5	56	2.5	1.75	6
13	8	12	35	5	12.5	61	2.5	1.75	6
13	9	12	35	5	11.5	61	2.5	1.75	6
13	10	12	35	5	10.5	61	2.5	1.75	6
13	12	12	35	5	8.5	61	2.5	1.75	6
14	2	12	35	5	13.5	56	2.5	1.75	6
14	2.5	12	35	5	13	56	2.5	1.75	6
14	3	12	35	5	12.5	56	2.5	1.75	6
14	3.5	12	35	5	12	56	2.5	1.75	6
14	4	12	35	5	11.5	56	2.5	1.75	6
14	4.5	12	35	5	11	56	2.5	1.75	6
14	5	12	35	5	10.5	56	2.5	1.75	6
14	5.5	12	35	5	10	56	2.5	1.75	6
14	6	12	35	5	9.5	56	2.5	1.75	6
14	7	12	35	5	8.5	56	2.5	1.75	6
14	8	12	35	5	12.5	61	2.5	1.75	6
14	9	12	35	5	11.5	61	2.5	1.75	6
14	10	12	35	5	10.5	61	2.5	1.75	6
14	12	12	35	5	8.5	61	2.5	1.75	6
15	2	12	40	6	14.8	62	3	2.25	6
15	2.5	12	40	6	14.3	62	3	2.25	6
15	3	12	40	6	13.8	62	3	2.25	6
15	3.5	12	40	6	13.3	62	3	2.25	6
15	4	12	40	6	12.8	62	3	2.25	6
15	4.5	12	40	6	12.3	62	3	2.25	6
15	5	12	40	6	11.8	62	3	2.25	6
15	5.5	12	40	6	11.3	62	3	2.25	6
15	6	12	40	6	10.8	62	3	2.25	6
15	7	12	40	6	9.8	62	3	2.25	6
15	8	12	40	6	13.8	67	3	2.25	6
15	9	12	40	6	12.8	67	3	2.25	6
15	10	12	40	6	11.8	67	3	2.25	6
15	11	12	40	6	10.8	67	3	2.25	6
15	12	12	40	6	9.8	67	3	2.25	6
15	13	12	40	6	13.8	72	3	2.25	6
15	14	12	40	6	12.8	72	3	2.25	6
16	2	12	42	7	16.9	65	3	2.25	6
16	2.5	12	42	7	16.4	65	3	2.25	6
16	3	12	42	7	15.9	65	3	2.25	6
16	3.5	12	42	7	15.4	65	3	2.25	6
16	4	12	42	7	14.9	65	3	2.25	6
16	4.5	12	42	7	14.4	65	3	2.25	6
16	5	12	42	7	13.9	65	3	2.25	6
16	5.5	12	42	7	13.4	65	3	2.25	6
16	6	12	42	7	12.9	65	3	2.25	6
16	7	12	42	7	11.9	65	3	2.25	6
16	8	12	42	7	15.9	70	3	2.25	6
16	9	12	42	7	14.9	70	3	2.25	6
16	10	12	42	7	13.9	70	3	2.25	6

STC

千鳥刃Tスロットカッター

Staggered Tooth T-Slot Cutter

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
16	11	12	42	7	12.9	70	3	2.25	6
16	12	12	42	7	11.9	70	3	2.25	6
16	13	12	42	7	15.9	75	3	2.25	6
16	14	12	42	7	14.9	75	3	2.25	6
16	15	12	42	7	13.9	75	3	2.25	6
16	16	12	42	7	12.9	75	3	2.25	6
18	2	12	42	8	17.2	65	3.5	2.5	6
18	2.5	12	42	8	16.7	65	3.5	2.5	6
18	3	12	42	8	16.2	65	3.5	2.5	6
18	3.5	12	42	8	15.7	65	3.5	2.5	6
18	4	12	42	8	15.2	65	3.5	2.5	6
18	4.5	12	42	8	14.7	65	3.5	2.5	6
18	5	12	42	8	14.2	65	3.5	2.5	6
18	5.5	12	42	8	13.7	65	3.5	2.5	6
18	6	12	42	8	13.2	65	3.5	2.5	6
18	7	12	42	8	12.2	65	3.5	2.5	6
18	8	12	42	8	16.2	70	3.5	2.5	6
18	9	12	42	8	15.2	70	3.5	2.5	6
18	10	12	42	8	14.2	70	3.5	2.5	6
18	11	12	42	8	13.2	70	3.5	2.5	6
18	12	12	42	8	12.2	70	3.5	2.5	6
18	13	12	42	8	16.2	75	3.5	2.5	6
18	14	12	42	8	15.2	75	3.5	2.5	6
18	15	12	42	8	14.2	75	3.5	2.5	6
18	16	12	42	8	13.2	75	3.5	2.5	6
19	2	12	45	9	19.8	70	3.5	2.75	6
19	2.5	12	45	9	19.3	70	3.5	2.75	6
19	3	12	45	9	18.8	70	3.5	2.75	6
19	3.5	12	45	9	18.3	70	3.5	2.75	6
19	4	12	45	9	17.8	70	3.5	2.75	6
19	4.5	12	45	9	17.3	70	3.5	2.75	6
19	5	12	45	9	16.8	70	3.5	2.75	6
19	5.5	12	45	9	16.3	70	3.5	2.75	6
19	6	12	45	9	15.8	70	3.5	2.75	6
19	7	12	45	9	14.8	70	3.5	2.75	6
19	8	12	45	9	18.8	75	3.5	2.75	6
19	9	12	45	9	17.8	75	3.5	2.75	6
19	10	12	45	9	16.8	75	3.5	2.75	6
19	11	12	45	9	15.8	75	3.5	2.75	6
19	12	12	45	9	14.8	75	3.5	2.75	6
19	13	12	45	9	18.8	80	3.5	2.75	6
19	14	12	45	9	17.8	80	3.5	2.75	6
19	15	12	45	9	16.8	80	3.5	2.75	6
19	16	12	45	9	15.8	80	3.5	2.75	6
20	2	12	45	9	19.8	70	4	3	6
20	2.5	12	45	9	19.3	70	4	3	6
20	3	12	45	9	18.8	70	4	3	6
20	3.5	12	45	9	18.3	70	4	3	6
20	4	12	45	9	17.8	70	4	3	6
20	4.5	12	45	9	17.3	70	4	3	6
20	5	12	45	9	16.8	70	4	3	6
20	5.5	12	45	9	16.3	70	4	3	6
20	6	12	45	9	15.8	70	4	3	6
20	7	12	45	9	14.8	70	4	3	6
20	8	12	45	9	18.8	75	4	3	6
20	9	12	45	9	17.8	75	4	3	6

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
20	10	12	45	9	16.8	75	4	3	6
20	11	12	45	9	15.8	75	4	3	6
20	12	12	45	9	14.8	75	4	3	6
20	13	12	45	9	18.8	80	4	3	6
20	14	12	45	9	17.8	80	4	3	6
20	15	12	45	9	16.8	80	4	3	6
20	16	12	45	9	15.8	80	4	3	6
22	2	12	45	9.5	20	70	4.5	3	6
22	2.5	12	45	9.5	19.5	70	4.5	3	6
22	3	12	45	9.5	19	70	4.5	3	6
22	3.5	12	45	9.5	18.5	70	4.5	3	6
22	4	12	45	9.5	18	70	4.5	3	6
22	4.5	12	45	9.5	17.5	70	4.5	3	6
22	5	12	45	9.5	17	70	4.5	3	6
22	5.5	12	45	9.5	16.5	70	4.5	3	6
22	6	12	45	9.5	16	70	4.5	3	6
22	7	12	45	9.5	15	70	4.5	3	6
22	8	12	45	9.5	19	75	4.5	3	6
22	9	12	45	9.5	18	75	4.5	3	6
22	10	12	45	9.5	17	75	4.5	3	6
22	11	12	45	9.5	16	75	4.5	3	6
22	12	12	45	9.5	15	75	4.5	3	6
22	13	12	45	9.5	19	80	4.5	3	6
22	14	12	45	9.5	18	80	4.5	3	6
22	15	12	45	9.5	17	80	4.5	3	6
22	16	12	45	9.5	16	80	4.5	3	6
24	2	12	45	10.5	21	70	4.5	3	6
24	2.5	12	45	10.5	20.5	70	4.5	3	6
24	3	12	45	10.5	20	70	4.5	3	6
24	3.5	12	45	10.5	19.5	70	4.5	3	6
24	4	12	45	10.5	19	70	4.5	3	6
24	4.5	12	45	10.5	18.5	70	4.5	3	6
24	5	12	45	10.5	18	70	4.5	3	6
24	5.5	12	45	10.5	17.5	70	4.5	3	6
24	6	12	45	10.5	17	70	4.5	3	6
24	7	12	45	10.5	16	70	4.5	3	6
24	8	12	45	10.5	20	75	4.5	3	6
24	9	12	45	10.5	19	75	4.5	3	6
24	10	12	45	10.5	18	75	4.5	3	6
24	11	12	45	10.5	17	75	4.5	3	6
24	12	12	45	10.5	16	75	4.5	3	6
24	13	12	45	10.5	20	80	4.5	3	6
24	14	12	45	10.5	19	80	4.5	3	6
24	15	12	45	10.5	18	80	4.5	3	6
24	16	12	45	10.5	17	80	4.5	3	6
25	2	12	45	10.5	21	70	4.5	3	8
25	2.5	12	45	10.5	20.5	70	4.5	3	8
25	3	12	45	10.5	20	70	4.5	3	8
25	3.5	12	45	10.5	19.5	70	4.5	3	8
25	4	12	45	10.5	19	70	4.5	3	8
25	4.5	12	45	10.5	18.5	70	4.5	3	8
25	5	12	45	10.5	18	70	4.5	3	8
25	5.5	12	45	10.5	17.5	70	4.5	3	8
25	6	12	45	10.5	17	70	4.5	3	8
25	7	12	45	10.5	16	70	4.5	3	8
25	8	12	45	10.5	20	75	4.5	3	8

STC

千鳥刃Tスロットカッター

Staggered Tooth T-Slot Cutter

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
25	9	12	45	10.5	19	75	4.5	3	8
25	10	12	45	10.5	18	75	4.5	3	8
25	11	12	45	10.5	17	75	4.5	3	8
25	12	12	45	10.5	16	75	4.5	3	8
25	13	12	45	10.5	20	80	4.5	3	8
25	14	12	45	10.5	19	80	4.5	3	8
25	15	12	45	10.5	18	80	4.5	3	8
25	16	12	45	10.5	17	80	4.5	3	8
25	18	12	45	10.5	20	85	4.5	3	8
25	20	12	45	10.5	18	85	4.5	3	8
26	2	16	60	12	21.2	87	4.5	3	8
26	2.5	16	60	12	20.7	87	4.5	3	8
26	3	16	60	12	20.2	87	4.5	3	8
26	3.5	16	60	12	19.7	87	4.5	3	8
26	4	16	60	12	19.2	87	4.5	3	8
26	4.5	16	60	12	18.7	87	4.5	3	8
26	5	16	60	12	18.2	87	4.5	3	8
26	5.5	16	60	12	17.7	87	4.5	3	8
26	6	16	60	12	17.2	87	4.5	3	8
26	7	16	60	12	16.2	87	4.5	3	8
26	8	16	60	12	20.2	92	4.5	3	8
26	9	16	60	12	19.2	92	4.5	3	8
26	10	16	60	12	18.2	92	4.5	3	8
26	11	16	60	12	17.2	92	4.5	3	8
26	12	16	60	12	16.2	92	4.5	3	8
26	13	16	60	12	20.2	97	4.5	3	8
26	14	16	60	12	19.2	97	4.5	3	8
26	15	16	60	12	18.2	97	4.5	3	8
26	16	16	60	12	17.2	97	4.5	3	8
26	18	16	60	12	20.2	102	4.5	3	8
26	20	16	60	12	18.2	102	4.5	3	8
28	2	16	60	12	21.2	87	5	3.5	8
28	2.5	16	60	12	20.7	87	5	3.5	8
28	3	16	60	12	20.2	87	5	3.5	8
28	3.5	16	60	12	19.7	87	5	3.5	8
28	4	16	60	12	19.2	87	5	3.5	8
28	4.5	16	60	12	18.7	87	5	3.5	8
28	5	16	60	12	18.2	87	5	3.5	8
28	5.5	16	60	12	17.7	87	5	3.5	8
28	6	16	60	12	17.2	87	5	3.5	8
28	7	16	60	12	16.2	87	5	3.5	8
28	8	16	60	12	20.2	92	5	3.5	8
28	9	16	60	12	19.2	92	5	3.5	8
28	10	16	60	12	18.2	92	5	3.5	8
28	11	16	60	12	17.2	92	5	3.5	8
28	12	16	60	12	16.2	92	5	3.5	8
28	13	16	60	12	20.2	97	5	3.5	8
28	14	16	60	12	19.2	97	5	3.5	8
28	15	16	60	12	18.2	97	5	3.5	8
28	16	16	60	12	17.2	97	5	3.5	8
28	18	16	60	12	20.2	102	5	3.5	8
28	20	16	60	12	18.2	102	5	3.5	8
30	2	16	60	13	21.8	87	5.5	4	8
30	2.5	16	60	13	21.3	87	5.5	4	8
30	3	16	60	13	20.8	87	5.5	4	8
30	3.5	16	60	13	20.3	87	5.5	4	8

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
30	4	16	60	13	19.8	87	5.5	4	8
30	4.5	16	60	13	19.3	87	5.5	4	8
30	5	16	60	13	18.8	87	5.5	4	8
30	5.5	16	60	13	18.3	87	5.5	4	8
30	6	16	60	13	17.8	87	5.5	4	8
30	7	16	60	13	16.8	87	5.5	4	8
30	8	16	60	13	20.8	92	5.5	4	8
30	9	16	60	13	19.8	92	5.5	4	8
30	10	16	60	13	18.8	92	5.5	4	8
30	11	16	60	13	17.8	92	5.5	4	8
30	12	16	60	13	16.8	92	5.5	4	8
30	13	16	60	13	20.8	97	5.5	4	8
30	14	16	60	13	19.8	97	5.5	4	8
30	15	16	60	13	18.8	97	5.5	4	8
30	16	16	60	13	17.8	97	5.5	4	8
30	17	16	60	13	16.8	97	5.5	4	8
30	18	16	60	13	20.8	102	5.5	4	8
30	19	16	60	13	19.8	102	5.5	4	8
30	20	16	60	13	18.8	102	5.5	4	8
32	2	16	60	14	25.7	90	6	4	8
32	2.5	16	60	14	25.2	90	6	4	8
32	3	16	60	14	24.7	90	6	4	8
32	3.5	16	60	14	24.2	90	6	4	8
32	4	16	60	14	23.7	90	6	4	8
32	4.5	16	60	14	23.2	90	6	4	8
32	5	16	60	14	22.7	90	6	4	8
32	5.5	16	60	14	22.2	90	6	4	8
32	6	16	60	14	21.7	90	6	4	8
32	7	16	60	14	20.7	90	6	4	8
32	8	16	60	14	24.7	95	6	4	8
32	9	16	60	14	23.7	95	6	4	8
32	10	16	60	14	22.7	95	6	4	8
32	11	16	60	14	21.7	95	6	4	8
32	12	16	60	14	20.7	95	6	4	8
32	13	16	60	14	24.7	100	6	4	8
32	14	16	60	14	23.7	100	6	4	8
32	15	16	60	14	22.7	100	6	4	8
32	16	16	60	14	21.7	100	6	4	8
32	17	16	60	14	20.7	100	6	4	8
32	18	16	60	14	24.7	105	6	4	8
32	19	16	60	14	23.7	105	6	4	8
32	20	16	60	14	22.7	105	6	4	8
35	2	16	60	14	25.7	90	6	4.5	8
35	2.5	16	60	14	25.2	90	6	4.5	8
35	3	16	60	14	24.7	90	6	4.5	8
35	3.5	16	60	14	24.2	90	6	4.5	8
35	4	16	60	14	23.7	90	6	4.5	8
35	4.5	16	60	14	23.2	90	6	4.5	8
35	5	16	60	14	22.7	90	6	4.5	8
35	5.5	16	60	14	22.2	90	6	4.5	8
35	6	16	60	14	21.7	90	6	4.5	8
35	7	16	60	14	20.7	90	6	4.5	8
35	8	16	60	14	24.7	95	6	4.5	8
35	9	16	60	14	23.7	95	6	4.5	8
35	10	16	60	14	22.7	95	6	4.5	8
35	11	16	60	14	21.7	95	6	4.5	8
35	12	16	60	14	20.7	95	6	4.5	8

STC

千鳥刃Tスロットカッター

Staggered Tooth T-Slot Cutter

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
35	13	16	60	14	24.7	100	6	4.5	8
35	14	16	60	14	23.7	100	6	4.5	8
35	15	16	60	14	22.7	100	6	4.5	8
35	16	16	60	14	21.7	100	6	4.5	8
35	17	16	60	14	20.7	100	6	4.5	8
35	18	16	60	14	24.7	105	6	4.5	8
35	19	16	60	14	23.7	105	6	4.5	8
35	20	16	60	14	22.7	105	6	4.5	8
35	22	16	60	14	20.7	105	6	4.5	8
35	24	16	60	14	23.7	110	6	4.5	8
35	25	16	60	14	22.7	110	6	4.5	8
36	2	16	60	15	26.6	90	6.5	5	8
36	2.5	16	60	15	26.1	90	6.5	5	8
36	3	16	60	15	25.6	90	6.5	5	8
36	3.5	16	60	15	25.1	90	6.5	5	8
36	4	16	60	15	24.6	90	6.5	5	8
36	4.5	16	60	15	24.1	90	6.5	5	8
36	5	16	60	15	23.6	90	6.5	5	8
36	5.5	16	60	15	23.1	90	6.5	5	8
36	6	16	60	15	22.6	90	6.5	5	8
36	7	16	60	15	21.6	90	6.5	5	8
36	8	16	60	15	25.6	95	6.5	5	8
36	9	16	60	15	24.6	95	6.5	5	8
36	10	16	60	15	23.6	95	6.5	5	8
36	11	16	60	15	22.6	95	6.5	5	8
36	12	16	60	15	21.6	95	6.5	5	8
36	13	16	60	15	25.6	100	6.5	5	8
36	14	16	60	15	24.6	100	6.5	5	8
36	15	16	60	15	23.6	100	6.5	5	8
36	16	16	60	15	22.6	100	6.5	5	8
36	17	16	60	15	21.6	100	6.5	5	8
36	18	16	60	15	25.6	105	6.5	5	8
36	19	16	60	15	24.6	105	6.5	5	8
36	20	16	60	15	23.6	105	6.5	5	8
36	22	16	60	15	21.6	105	6.5	5	8
36	24	16	60	15	24.6	110	6.5	5	8
36	25	16	60	15	23.6	110	6.5	5	8
38	2	16	60	15	26.6	90	7	5.5	8
38	2.5	16	60	15	26.1	90	7	5.5	8
38	3	16	60	15	25.6	90	7	5.5	8
38	3.5	16	60	15	25.1	90	7	5.5	8
38	4	16	60	15	24.6	90	7	5.5	8
38	4.5	16	60	15	24.1	90	7	5.5	8
38	5	16	60	15	23.6	90	7	5.5	8
38	5.5	16	60	15	23.1	90	7	5.5	8
38	6	16	60	15	22.6	90	7	5.5	8
38	7	16	60	15	21.6	90	7	5.5	8
38	8	16	60	15	25.6	95	7	5.5	8
38	9	16	60	15	24.6	95	7	5.5	8
38	10	16	60	15	23.6	95	7	5.5	8
38	11	16	60	15	22.6	95	7	5.5	8
38	12	16	60	15	21.6	95	7	5.5	8
38	13	16	60	15	25.6	100	7	5.5	8
38	14	16	60	15	24.6	100	7	5.5	8
38	15	16	60	15	23.6	100	7	5.5	8
38	16	16	60	15	22.6	100	7	5.5	8
38	17	16	60	15	21.6	100	7	5.5	8

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
38	18	16	60	15	25.6	105	7	5.5	8
38	19	16	60	15	24.6	105	7	5.5	8
38	20	16	60	15	23.6	105	7	5.5	8
38	22	16	60	15	21.6	105	7	5.5	8
38	24	16	60	15	24.6	110	7	5.5	8
38	25	16	60	15	23.6	110	7	5.5	8
40	2	16	60	15	26.6	90	7.5	6	8
40	2.5	16	60	15	26.1	90	7.5	6	8
40	3	16	60	15	25.6	90	7.5	6	8
40	3.5	16	60	15	25.1	90	7.5	6	8
40	4	16	60	15	24.6	90	7.5	6	8
40	4.5	16	60	15	24.1	90	7.5	6	8
40	5	16	60	15	23.6	90	7.5	6	8
40	5.5	16	60	15	23.1	90	7.5	6	8
40	6	16	60	15	22.6	90	7.5	6	8
40	7	16	60	15	21.6	90	7.5	6	8
40	8	16	60	15	25.6	95	7.5	6	8
40	9	16	60	15	24.6	95	7.5	6	8
40	10	16	60	15	23.6	95	7.5	6	8
40	11	16	60	15	22.6	95	7.5	6	8
40	12	16	60	15	21.6	95	7.5	6	8
40	13	16	60	15	25.6	100	7.5	6	8
40	14	16	60	15	24.6	100	7.5	6	8
40	15	16	60	15	23.6	100	7.5	6	8
40	16	16	60	15	22.6	100	7.5	6	8
40	17	16	60	15	21.6	100	7.5	6	8
40	18	16	60	15	25.6	105	7.5	6	8
40	19	16	60	15	24.6	105	7.5	6	8
40	20	16	60	15	23.6	105	7.5	6	8
40	22	16	60	15	21.6	105	7.5	6	8
40	24	16	60	15	24.6	110	7.5	6	8
40	25	16	60	15	23.6	110	7.5	6	8
40	26	16	60	15	22.6	110	7.5	6	8
40	28	16	60	15	25.6	115	7.5	6	8
40	30	16	60	15	23.6	115	7.5	6	8
42	2	16	60	15	28.6	92	8	6	8
42	2.5	16	60	15	28.1	92	8	6	8
42	3	16	60	15	27.6	92	8	6	8
42	3.5	16	60	15	27.1	92	8	6	8
42	4	16	60	15	26.6	92	8	6	8
42	4.5	16	60	15	26.1	92	8	6	8
42	5	16	60	15	25.6	92	8	6	8
42	5.5	16	60	15	25.1	92	8	6	8
42	6	16	60	15	24.6	92	8	6	8
42	7	16	60	15	23.6	92	8	6	8
42	8	16	60	15	27.6	97	8	6	8
42	9	16	60	15	26.6	97	8	6	8
42	10	16	60	15	25.6	97	8	6	8
42	11	16	60	15	24.6	97	8	6	8
42	12	16	60	15	23.6	97	8	6	8
42	13	16	60	15	27.6	102	8	6	8
42	14	16	60	15	26.6	102	8	6	8
42	15	16	60	15	25.6	102	8	6	8
42	16	16	60	15	24.6	102	8	6	8
42	17	16	60	15	23.6	102	8	6	8
42	18	16	60	15	27.6	107	8	6	8
42	19	16	60	15	26.6	107	8	6	8

STC

千鳥刃Tスロットカッター

Staggered Tooth T-Slot Cutter

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
42	20	16	60	15	25.6	107	8	6	8
42	22	16	60	15	23.6	107	8	6	8
42	24	16	60	15	26.6	112	8	6	8
42	25	16	60	15	25.6	112	8	6	8
42	26	16	60	15	24.6	112	8	6	8
42	28	16	60	15	27.6	117	8	6	8
42	30	16	60	15	25.6	117	8	6	8
45	2	16	60	15	28.6	92	9	7	10
45	2.5	16	60	15	28.1	92	9	7	10
45	3	16	60	15	27.6	92	9	7	10
45	3.5	16	60	15	27.1	92	9	7	10
45	4	16	60	15	26.6	92	9	7	10
45	4.5	16	60	15	26.1	92	9	7	10
45	5	16	60	15	25.6	92	9	7	10
45	5.5	16	60	15	25.1	92	9	7	10
45	6	16	60	15	24.6	92	9	7	10
45	7	16	60	15	23.6	92	9	7	10
45	8	16	60	15	27.6	97	9	7	10
45	9	16	60	15	26.6	97	9	7	10
45	10	16	60	15	25.6	97	9	7	10
45	11	16	60	15	24.6	97	9	7	10
45	12	16	60	15	23.6	97	9	7	10
45	13	16	60	15	27.6	102	9	7	10
45	14	16	60	15	26.6	102	9	7	10
45	15	16	60	15	25.6	102	9	7	10
45	16	16	60	15	24.6	102	9	7	10
45	17	16	60	15	23.6	102	9	7	10
45	18	16	60	15	27.6	107	9	7	10
45	19	16	60	15	26.6	107	9	7	10
45	20	16	60	15	25.6	107	9	7	10
45	22	16	60	15	23.6	107	9	7	10
45	24	16	60	15	26.6	112	9	7	10
45	25	16	60	15	25.6	112	9	7	10
45	26	16	60	15	24.6	112	9	7	10
45	28	16	60	15	27.6	117	9	7	10
45	30	16	60	15	25.6	117	9	7	10
48	2	20	70	18	30.7	105	9.5	7.5	10
48	2.5	20	70	18	30.2	105	9.5	7.5	10
48	3	20	70	18	29.7	105	9.5	7.5	10
48	3.5	20	70	18	29.2	105	9.5	7.5	10
48	4	20	70	18	28.7	105	9.5	7.5	10
48	4.5	20	70	18	28.2	105	9.5	7.5	10
48	5	20	70	18	27.7	105	9.5	7.5	10
48	5.5	20	70	18	27.2	105	9.5	7.5	10
48	6	20	70	18	26.7	105	9.5	7.5	10
48	7	20	70	18	25.7	105	9.5	7.5	10
48	8	20	70	18	29.7	110	9.5	7.5	10
48	9	20	70	18	28.7	110	9.5	7.5	10
48	10	20	70	18	27.7	110	9.5	7.5	10
48	11	20	70	18	26.7	110	9.5	7.5	10
48	12	20	70	18	25.7	110	9.5	7.5	10
48	13	20	70	18	29.7	115	9.5	7.5	10
48	14	20	70	18	28.7	115	9.5	7.5	10
48	15	20	70	18	27.7	115	9.5	7.5	10
48	16	20	70	18	26.7	115	9.5	7.5	10
48	17	20	70	18	25.7	115	9.5	7.5	10
48	18	20	70	18	29.7	120	9.5	7.5	10

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
48	19	20	70	18	28.7	120	9.5	7.5	10
48	20	20	70	18	27.7	120	9.5	7.5	10
48	22	20	70	18	25.7	120	9.5	7.5	10
48	24	20	70	18	28.7	125	9.5	7.5	10
48	25	20	70	18	27.7	125	9.5	7.5	10
48	26	20	70	18	26.7	125	9.5	7.5	10
48	28	20	70	18	29.7	130	9.5	7.5	10
48	30	20	70	18	27.7	130	9.5	7.5	10
50	2	20	70	18	30.7	105	10	7.5	10
50	2.5	20	70	18	30.2	105	10	7.5	10
50	3	20	70	18	29.7	105	10	7.5	10
50	3.5	20	70	18	29.2	105	10	7.5	10
50	4	20	70	18	28.7	105	10	7.5	10
50	4.5	20	70	18	28.2	105	10	7.5	10
50	5	20	70	18	27.7	105	10	7.5	10
50	5.5	20	70	18	27.2	105	10	7.5	10
50	6	20	70	18	26.7	105	10	7.5	10
50	7	20	70	18	25.7	105	10	7.5	10
50	8	20	70	18	29.7	110	10	7.5	10
50	9	20	70	18	28.7	110	10	7.5	10
50	10	20	70	18	27.7	110	10	7.5	10
50	11	20	70	18	26.7	110	10	7.5	10
50	12	20	70	18	25.7	110	10	7.5	10
50	13	20	70	18	29.7	115	10	7.5	10
50	14	20	70	18	28.7	115	10	7.5	10
50	15	20	70	18	27.7	115	10	7.5	10
50	16	20	70	18	26.7	115	10	7.5	10
50	17	20	70	18	25.7	115	10	7.5	10
50	18	20	70	18	29.7	120	10	7.5	10
50	19	20	70	18	28.7	120	10	7.5	10
50	20	20	70	18	27.7	120	10	7.5	10
50	22	20	70	18	25.7	120	10	7.5	10
50	24	20	70	18	28.7	125	10	7.5	10
50	25	20	70	18	27.7	125	10	7.5	10
50	26	20	70	18	26.7	125	10	7.5	10
50	28	20	70	18	29.7	130	10	7.5	10
50	30	20	70	18	27.7	130	10	7.5	10
55	2	20	70	18	30.7	105	11	8.5	10
55	2.5	20	70	18	30.2	105	11	8.5	10
55	3	20	70	18	29.7	105	11	8.5	10
55	3.5	20	70	18	29.2	105	11	8.5	10
55	4	20	70	18	28.7	105	11	8.5	10
55	4.5	20	70	18	28.2	105	11	8.5	10
55	5	20	70	18	27.7	105	11	8.5	10
55	5.5	20	70	18	27.2	105	11	8.5	10
55	6	20	70	18	26.7	105	11	8.5	10
55	7	20	70	18	25.7	105	11	8.5	10
55	8	20	70	18	29.7	110	11	8.5	10
55	9	20	70	18	28.7	110	11	8.5	10
55	10	20	70	18	27.7	110	11	8.5	10
55	11	20	70	18	26.7	110	11	8.5	10
55	12	20	70	18	25.7	110	11	8.5	10
55	13	20	70	18	29.7	115	11	8.5	10
55	14	20	70	18	28.7	115	11	8.5	10
55	15	20	70	18	27.7	115	11	8.5	10
55	16	20	70	18	26.7	115	11	8.5	10
55	17	20	70	18	25.7	115	11	8.5	10

STC

千鳥刃Tスロットカッター

Staggered Tooth T-Slot Cutter

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
55	18	20	70	18	29.7	120	11	8.5	10
55	19	20	70	18	28.7	120	11	8.5	10
55	20	20	70	18	27.7	120	11	8.5	10
55	22	20	70	18	25.7	120	11	8.5	10
55	24	20	70	18	28.7	125	11	8.5	10
55	25	20	70	18	27.7	125	11	8.5	10
55	26	20	70	18	26.7	125	11	8.5	10
55	28	20	70	18	29.7	130	11	8.5	10
55	30	20	70	18	27.7	130	11	8.5	10
60	2	20	70	19	31.6	105	12	8.5	12
60	2.5	20	70	19	31.1	105	12	8.5	12
60	3	20	70	19	30.6	105	12	8.5	12
60	3.5	20	70	19	30.1	105	12	8.5	12
60	4	20	70	19	29.6	105	12	8.5	12
60	4.5	20	70	19	29.1	105	12	8.5	12
60	5	20	70	19	28.6	105	12	8.5	12
60	5.5	20	70	19	28.1	105	12	8.5	12
60	6	20	70	19	27.6	105	12	8.5	12
60	7	20	70	19	26.6	105	12	8.5	12
60	8	20	70	19	30.6	110	12	8.5	12
60	9	20	70	19	29.6	110	12	8.5	12
60	10	20	70	19	28.6	110	12	8.5	12
60	11	20	70	19	27.6	110	12	8.5	12
60	12	20	70	19	26.6	110	12	8.5	12
60	13	20	70	19	30.6	115	12	8.5	12
60	14	20	70	19	29.6	115	12	8.5	12
60	15	20	70	19	28.6	115	12	8.5	12
60	16	20	70	19	27.6	115	12	8.5	12
60	17	20	70	19	26.6	115	12	8.5	12
60	18	20	70	19	30.6	120	12	8.5	12
60	19	20	70	19	29.6	120	12	8.5	12
60	20	20	70	19	28.6	120	12	8.5	12
60	22	20	70	19	26.6	120	12	8.5	12
60	24	20	70	19	29.6	125	12	8.5	12
60	25	20	70	19	28.6	125	12	8.5	12
60	26	20	70	19	27.6	125	12	8.5	12
60	28	20	70	19	30.6	130	12	8.5	12
60	30	20	70	19	28.6	130	12	8.5	12
65	3	25	80	22	33.8	120	13	10	14
65	3.5	25	80	22	33.3	120	13	10	14
65	4	25	80	22	32.8	120	13	10	14
65	4.5	25	80	22	32.3	120	13	10	14
65	5	25	80	22	31.8	120	13	10	14
65	5.5	25	80	22	31.3	120	13	10	14
65	6	25	80	22	30.8	120	13	10	14
65	7	25	80	22	29.8	120	13	10	14
65	8	25	80	22	33.8	125	13	10	14
65	9	25	80	22	32.8	125	13	10	14
65	10	25	80	22	31.8	125	13	10	14
65	11	25	80	22	30.8	125	13	10	14
65	12	25	80	22	29.8	125	13	10	14
65	13	25	80	22	33.8	130	13	10	14
65	14	25	80	22	32.8	130	13	10	14
65	15	25	80	22	31.8	130	13	10	14
65	16	25	80	22	30.8	130	13	10	14
65	17	25	80	22	29.8	130	13	10	14
65	18	25	80	22	33.8	135	13	10	14

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
65	19	25	80	22	32.8	135	13	10	14
65	20	25	80	22	31.8	135	13	10	14
65	22	25	80	22	29.8	135	13	10	14
65	24	25	80	22	32.8	140	13	10	14
65	25	25	80	22	31.8	140	13	10	14
65	26	25	80	22	30.8	140	13	10	14
65	28	25	80	22	33.8	145	13	10	14
65	30	25	80	22	31.8	145	13	10	14
70	3	25	80	23	34.7	120	14	11	14
70	3.5	25	80	23	34.2	120	14	11	14
70	4	25	80	23	33.7	120	14	11	14
70	4.5	25	80	23	33.2	120	14	11	14
70	5	25	80	23	32.7	120	14	11	14
70	5.5	25	80	23	32.2	120	14	11	14
70	6	25	80	23	31.7	120	14	11	14
70	7	25	80	23	30.7	120	14	11	14
70	8	25	80	23	34.7	125	14	11	14
70	9	25	80	23	33.7	125	14	11	14
70	10	25	80	23	32.7	125	14	11	14
70	11	25	80	23	31.7	125	14	11	14
70	12	25	80	23	30.7	125	14	11	14
70	13	25	80	23	34.7	130	14	11	14
70	14	25	80	23	33.7	130	14	11	14
70	15	25	80	23	32.7	130	14	11	14
70	16	25	80	23	31.7	130	14	11	14
70	17	25	80	23	30.7	130	14	11	14
70	18	25	80	23	34.7	135	14	11	14
70	19	25	80	23	33.7	135	14	11	14
70	20	25	80	23	32.7	135	14	11	14
70	22	25	80	23	30.7	135	14	11	14
70	24	25	80	23	33.7	140	14	11	14
70	25	25	80	23	32.7	140	14	11	14
70	26	25	80	23	31.7	140	14	11	14
70	28	25	80	23	34.7	145	14	11	14
70	30	25	80	23	32.7	145	14	11	14
75	3	32	80	30	39.7	125	15.5	12.5	14
75	3.5	32	80	30	39.2	125	15.5	12.5	14
75	4	32	80	30	38.7	125	15.5	12.5	14
75	4.5	32	80	30	38.2	125	15.5	12.5	14
75	5	32	80	30	37.7	125	15.5	12.5	14
75	5.5	32	80	30	37.2	125	15.5	12.5	14
75	6	32	80	30	36.7	125	15.5	12.5	14
75	7	32	80	30	35.7	125	15.5	12.5	14
75	8	32	80	30	39.7	130	15.5	12.5	14
75	9	32	80	30	38.7	130	15.5	12.5	14
75	10	32	80	30	37.7	130	15.5	12.5	14
75	11	32	80	30	36.7	130	15.5	12.5	14
75	12	32	80	30	35.7	130	15.5	12.5	14
75	13	32	80	30	39.7	135	15.5	12.5	14
75	14	32	80	30	38.7	135	15.5	12.5	14
75	15	32	80	30	37.7	135	15.5	12.5	14
75	16	32	80	30	36.7	135	15.5	12.5	14
75	17	32	80	30	35.7	135	15.5	12.5	14
75	18	32	80	30	39.7	140	15.5	12.5	14
75	19	32	80	30	38.7	140	15.5	12.5	14
75	20	32	80	30	37.7	140	15.5	12.5	14
75	22	32	80	30	35.7	140	15.5	12.5	14

STC

千鳥刃Tスロットカッター

Staggered Tooth T-Slot Cutter

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
75	24	32	80	30	38.7	145	15.5	12.5	14
75	25	32	80	30	37.7	145	15.5	12.5	14
75	26	32	80	30	36.7	145	15.5	12.5	14
75	28	32	80	30	39.7	150	15.5	12.5	14
75	30	32	80	30	37.7	150	15.5	12.5	14
80	3	32	100	31	45.6	150	16	13	16
80	4	32	100	31	44.6	150	16	13	16
80	5	32	100	31	43.6	150	16	13	16
80	6	32	100	31	42.6	150	16	13	16
80	7	32	100	31	41.6	150	16	13	16
80	8	32	100	31	45.6	155	16	13	16
80	9	32	100	31	44.6	155	16	13	16
80	10	32	100	31	43.6	155	16	13	16
80	11	32	100	31	42.6	155	16	13	16
80	12	32	100	31	41.6	155	16	13	16
80	13	32	100	31	45.6	160	16	13	16
80	14	32	100	31	44.6	160	16	13	16
80	15	32	100	31	43.6	160	16	13	16
80	16	32	100	31	42.6	160	16	13	16
80	17	32	100	31	41.6	160	16	13	16
80	18	32	100	31	45.6	165	16	13	16
80	19	32	100	31	44.6	165	16	13	16
80	20	32	100	31	43.6	165	16	13	16
80	22	32	100	31	41.6	165	16	13	16
80	24	32	100	31	44.6	170	16	13	16
80	25	32	100	31	43.6	170	16	13	16
80	26	32	100	31	42.6	170	16	13	16
80	28	32	100	31	45.6	175	16	13	16
80	30	32	100	31	43.6	175	16	13	16
90	3	32	110	31	45.6	160	18	15	18
90	4	32	110	31	44.6	160	18	15	18
90	5	32	110	31	43.6	160	18	15	18
90	6	32	110	31	42.6	160	18	15	18
90	7	32	110	31	41.6	160	18	15	18
90	8	32	110	31	45.6	165	18	15	18
90	9	32	110	31	44.6	165	18	15	18
90	10	32	110	31	43.6	165	18	15	18
90	11	32	110	31	42.6	165	18	15	18
90	12	32	110	31	41.6	165	18	15	18
90	13	32	110	31	45.6	170	18	15	18
90	14	32	110	31	44.6	170	18	15	18
90	15	32	110	31	43.6	170	18	15	18
90	16	32	110	31	42.6	170	18	15	18
90	17	32	110	31	41.6	170	18	15	18
90	18	32	110	31	45.6	175	18	15	18
90	19	32	110	31	44.6	175	18	15	18
90	20	32	110	31	43.6	175	18	15	18
90	22	32	110	31	41.6	175	18	15	18
90	24	32	110	31	44.6	180	18	15	18
90	25	32	110	31	43.6	180	18	15	18
90	26	32	110	31	42.6	180	18	15	18
90	28	32	110	31	45.6	185	18	15	18
90	30	32	110	31	43.6	185	18	15	18
100	3	32	120	31	45.6	170	20	16.5	18
100	4	32	120	31	44.6	170	20	16.5	18
100	5	32	120	31	43.6	170	20	16.5	18

外径 φ D	刃幅 L c	柄径 φ d	柄長 L 1	首径 φ d 1	首長(フラット) (L 2)	全長 L	サイド刃の長さ		刃数
							W 1	W 2	
100	6	32	120	31	42.6	170	20	16.5	18
100	7	32	120	31	41.6	170	20	16.5	18
100	8	32	120	31	45.6	175	20	16.5	18
100	9	32	120	31	44.6	175	20	16.5	18
100	10	32	120	31	43.6	175	20	16.5	18
100	11	32	120	31	42.6	175	20	16.5	18
100	12	32	120	31	41.6	175	20	16.5	18
100	13	32	120	31	45.6	180	20	16.5	18
100	14	32	120	31	44.6	180	20	16.5	18
100	15	32	120	31	43.6	180	20	16.5	18
100	16	32	120	31	42.6	180	20	16.5	18
100	17	32	120	31	41.6	180	20	16.5	18
100	18	32	120	31	45.6	185	20	16.5	18
100	19	32	120	31	44.6	185	20	16.5	18
100	20	32	120	31	43.6	185	20	16.5	18
100	22	32	120	31	41.6	185	20	16.5	18
100	24	32	120	31	44.6	190	20	16.5	18
100	25	32	120	31	43.6	190	20	16.5	18
100	26	32	120	31	42.6	190	20	16.5	18
100	28	32	120	31	45.6	195	20	16.5	18
100	30	32	120	31	43.6	195	20	16.5	18